

2025

Electric Bicycle Catalogue



HOTEBIKE CATALOG

**ZHUHAI SHUANGYE ELECTRONIC
TECHNOLOGY.,LTD.**

Shuangye has been in operation since 2006, boasting R&D capabilities and specializing in the manufacturing of electric bicycles. We also offer OEM & ODM end to end management service.



SCAN THE CODE
TO DOWNLOAD

About Us



SHUANGYE started from 2006. We are an electric bike manufacturer focusing on research and develop, produce and sell all kinds of electric bikes and related accessories.

Our factory is located in Zhuhai City Guangdong Province China, covering an area of 8,000 square meters with over 10 experts and 100 workers. In 2018, We became TUV & SGS Verified Supplier and Rewarded as "Quality Stable Enterprise" by Alibaba. Our ebikes with brand HOTEBIKE own the certificate of CE, UL, ROHS, GCC, SAA, IRAM, EN62133, ISO9001, MSDS, UN38.3 and Certificate for safe sea transport of goods.



In order to meet the market demands, we always improve and develop products by ourselves. Currently, we specialize in producing all kinds of electric bikes, such as electric mountain bike, electric fat tire bike, electric city bike, electric folding bike and electric tricycle etc.. With private mould and patents, we design and produce most bike frames by ourselves. Besides, the quality is assured as the electronic parts are all self-produced.

With professional team, trust-worthy factory and high quality products, we sincerely welcome customers contact us freely for more details.

Why Choose Us



- 1 Self-produced electronic parts. 100% quality checking before shipping.
- 2 Own 6+ patents on the design of the frame and electronic parts.
- 3 19 years manufacturer, providing OEM & ODM service.
- 4 Oversea warehouse in stock.
- 5 Sales team consists of over twenty professionals, providing 24 hours service.
- 6 Handling after-sales issues promptly.
- 7 Various of color for options.
- 8 Advanced surface finished on frame.
- 9 Adapting 6061 Aluminum alloy materials for frame.
- 10 Various batteries capacity for choice.

CONTENT

01	2025 New Model E-BIKE	01
02	2025 New Model E-Scooter	9
03	Mountain E-BIKE	12
04	Road E-BIKE	20
05	Folding E-BIKE	21
06	City E-BIKE	25
07	Mid Drive Motor E-BIKE	32
08	Fat Tire E-BIKE	38
09	Electric Cargo Bike	57
10	E-Scooter	59
11	Electric Bike Parts	63
12	Electric Bike Battery	65
13	Upgrade options	66

2025 New Model E-BIKE



motorcycle-style e-bike

1

Model	Q1
Rate Power	36V 250W/350W 48V 500W/750W/1000W 60V 1000W/2000W rear hub brushless motor
Peak Power	4000W
Battery	36V 10AH-20AH 48V13AH-50AH 60V 20AH-40AH Removable Lithium battery
Controller	36V/48V/60V intelligent brushless
Tire	20*4.5 inch
Frame	Carbon Steel
Gear	SHIMANO 7/8/9 speed
Fork	Alumium alloy suspension fork
Front light	15W LED big front light with horn
Display	LCD Display 3 speed level
Throttle	Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-72km/h
1:1 PAS Range	40-120km
Carton Size	152*42*91cm
Weight	N.W:61kg,G.W:71kg

2025 New Model E-BIKE



Fat Tire E-BIKE

Model	S720 Pro
Motor	36V 250W/350W 48V 500W/750W/1000W 60V 750W/1000W rear hub brushless motor
Battery	36V 10/13/14.4/15.6AH/20AH 48V 14.4/19.2/20/24AH/28.8AH 60V 14.4/19.2/20AH Removable Lithium Battery
Controller	36/48V intelligent brushless
Tire	20*4.0/4.5 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Basket	steel basket
Front fork	Alumium alloy suspension Fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-80km

2025 New Model E-BIKE



Kids E-BIKE

Model	K1
Motor	36V 200-250W rear hub brushless motor
Battery	36V 5.2/6.8AH Removable Lithium Battery
Controller	36V intelligent brushless
Tire	14*2.125 inch
Frame	High Carbon Steel Frame
Basket	optional
Front fork	Alumium alloy suspension Fork
Front light	3W Front light
Display	LCD880 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	2-4h
Disc brake	140/160 mechanical disc brake
Max speed	10-20km/h (optional)
1:1 PAS Range	10-20km

2025 New Model E-BIKE



Electric Tricycle

Model	S3 Pro Seat
Motor	36V 250W/350W 48V 500W/750W/1000W 60V750W/1000W rear hub brushless motor
Battery	36V 10AH/13/14.4/15.6/20AH 48V 14.4AH/19.2/20/24AH 60V 14.4AH/19.2/20AH Removable Lithium Battery
Controller	36/48V/60V intelligent brushless
Tire	20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Basket	steel basket
Front fork	Alumium alloy suspension Fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-32km/h
1:1 PAS Range	40-60km

2025 New Model E-BIKE



Electric Tricycle

Model	S3 Pro Basket
Motor	36V 250W/350W 48V 500W/750W/1000W 60V750W/1000W rear hub brushless motor
Battery	36V 10AH/13/14.4/15.6/20AH 48V 14.4AH/19.2/20/24AH 60V 14.4AH/19.2/20AH Removable Lithium Battery
Controller	36/48V/60V intelligent brushless
Tire	20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Basket	steel basket
Front fork	Alumium alloy suspension Fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-32km/h
1:1 PAS Range	40-60km

2025 New Model E-BIKE



Electric Tricycle

Model	S3
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10/13/13.4/15.6AH 48V 10/13/14.4/15.6/20/24AH Removable Lithium Battery
Controller	36/48V intelligent brushless
Tire	20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Basket	steel basket
Front fork	suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-32km/h
1:1 PAS Range	40-60km

2025 New Model E-BIKE



Electric Tricycle

Model	F3
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10/13/13.4/15.6AH 48V 10/13/14.4/17/24AH Removable Lithium Battery
Controller	36/48V intelligent brushless
Tire	14*2.125 inch + 20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/21 speed
Basket	steel basket
Suspension	Rear suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-32km/h
1:1 PAS Range	40-60km

2025 New Model E-BIKE



Electric Tricycle

Model	F4
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10/13/13.4/15.6AH 48V 10/13/14.4/17/24AH Removable Lithium Battery
Controller	36/48V intelligent brushless
Tire	20*2.125 inch + 20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 speed
Basket	steel basket / wooden basket
Suspension	Rear suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-32km/h
1:1 PAS Range	40-60km

2025 New Model E-Scooter



E-Scooter

Model	S1
Motor	36V250W/350W
Battery	36V5.2AH/7.8AH/9.6AH/10AH/13.6 AH Lithium battery
Controller	36V intelligent brushless
Tire	8 inch
Frame	Carbon Steel Slash folding
Gear	Single Speed
Front light	12W Front light
Display	LCD display 6 speed level
Throttle	Thumb Throttle
Charging hour	3-6h
Disc brake	Rear drum brake
Max speed	25-35km/h
Range	25-50km
Carton Size	108*21*39cm
Weight	N.W: 15.5kg, G.W: 18kg

2025 New Model E-Scooter



E-Scooter

Model	SC1
Motor	36V250W/350W 48V500W/750W
Battery	36V/48V10AH/13AH/14.4AH/20AH Lithium battery
Controller	36V/48V intelligent brushless
Tire	10*3.0 inch
Frame	Carbon Steel
Gear	Single Speed
Front light	Front light with USB charge port
Display	LCD display 6 speed level
Throttle	Thumb Throttle
Charging hour	4-6h
Disc brake	mechanical disc brake
Max speed	25-35km/h
Range	40-60km
Carton Size	120*25*55cm
Weight	N.W: 28kg, G.W: 31kg

2025 New Model E-Scooter



E-Scooter

Model	SC2
Motor	48V500W/750W Dual motor
Battery	48V13AH/14.4/24AH/28.8AH Lithium battery
Controller	48V intelligent brushless
Tire	10*3.0 inch/255*80mm
Frame	Carbon Steel
Gear	Single Speed
Front light	Front light with USB charge port
Display	LCD display
Throttle	Thumb Throttle
Charging hour	4-6h
Disc brake	mechanical disc brake
Max speed	25-35km/h
Range	40-60km
Carton Size	120*25*55cm
Weight	N.W: 28kg, G.W: 31kg

Mountain E-BIKE



Model	S6
Motor	36V 250W/350W 48V 500W/750W Rear brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable lithium battery
Frame Size	18/19 inch
Controller	36V/48V Intelligent controller
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch 29*2.1/2.35/2.6 inch
Frame	6061 Aluminum alloy
Gear	SHIMANO 7/8/9 speeds (ALTUS)
Fork	Aluminum alloy suspension fork
Display	LCD3/LCD8 Display with 6 speed level
Charging Hour	4-6H
Disc Brake	160/180 Mechanical disc brake or Hydraulic disc brake
1:1 PAS Range	40-100km
Rear Suspension	Spring or Air suspension device
Max Speed	25-40km/h
Carton Size	149*28*80cm
Weight	N.W:26kg,G.W:29kg

Mountain E-BIKE



Model	A6AH26
Motor	36V 250W/350W 48V 500W/750W rear brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Frame Size	17/18/19 inch
Controller	36V/48V intelligent brushless
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch 29*2.1/2.35/2.6 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake or Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-100km
Carton Size	136*28*78cm
Weight	N.W:24kg,G.W:28kg

Mountain E-BIKE



Model	A6AT26
Motor	48V 1000W rear hub motor
Battery	48V 19.2AH/20AH/24AH/28.8AH Removable Lithium battery
Frame Size	17/18/19inch
Controller	48V intelligent brushless
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch 29*2.1/2.35/2.6 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	5-7h
Disc brake	160/180 mechanical disc brake or Hydraulic disc brake
Max speed	45-50km/h
1:1 PAS Range	60-100km
Carton Size	143*28*80cm
Weight	N.W:36kg,G.W:39kg

Mountain E-BIKE



Model	A6AH26M
Motor	36V 250W/350W 48V 500W rear hub motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Frame Size	17/19 inch
Controller	36V/48V intelligent brushless
Tire	26*1.95/2.35/2.6 inch 29*2.1/2.35/2.6 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Rim	Magnesium Alloy integrated wheel rim
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake or Hydraulic disc brake
Max speed	25-35km/h
1:1 PAS Range	40-100km
Carton Size	136*28*78cm
Weight	N.W:24kg,G.W:28kg

Mountain E-BIKE



Model	A6AH26-S
Motor	36V 250W/350W 48V 500W/750W rear hub motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Frame Size	17/18/19 inch
Controller	36V / 48V intelligent brushless
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch 29*2.1/2.35/2.6 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 /8/9/21/24/27 speed
Suspension	Full suspension (front and rear)
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake or Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-100km
Carton Size	142*28*80cm
Weight	N.W:24kg,G.W:28kg

Mountain E-BIKE



Model	A6AH26-SM
Motor	36V 250W/350W 48V 500W rear hub brushless motor
Battery	36V 10AH/13AH/14.4AH/16AH/17AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Frame Size	17/19inch
Controller	36V / 48V intelligent brushless
Tire	26*1.95/2.35/2.6 inch 29*2.1/2.35/2.6 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 /8/9/21/24/27speed
Suspension	Full suspension (front and rear)
Front light	Front light with USB charge port
Rim	Magnesium Alloy integrated wheel rim
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake or Hydraulic disc brake
Max speed	25-35km/h
1:1 PAS Range	40-100km
Carton Size	142*28*80cm
Weight	N.W:24kg,G.W:28kg

Mountain E-BIKE



Model	A6AB26
Motor	36V 250W/350W rear brushless motor
Battery	36V 8AH/10AH Bottle Removable Lithium battery
Frame Size	17/18 Inch
Controller	36V intelligent brushless
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/ 21 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD880/LCD3 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake
Max speed	25-30km/h
1:1 PAS Range	40-100km
Carton Size	136*28*78cm
Weight	N.W:24kg,G.W:28kg

Mountain E-BIKE



Model	A6AD26
Motor	36V 250W/350W 48V500W/750W rear brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Frame Size	17/18 Inch
Controller	36V/48V intelligent brushless
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/ 21 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD880/LCD3 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake
Max speed	25-40km/h
1:1 PAS Range	40-100km
Carton Size	136*28*78cm
Weight	N.W:24kg,G.W:28kg

Road E-BIKE



Model	A6-R
Motor	36V 250W/350W rear hub brushless motor
Battery	36V 8AH/10AH Lithium battery
Frame Size	700C*19 inch
Controller	36V intelligent brushless
Tire	700*28C/32C/35C
Frame	6061 aluminum alloy
Gear	SHIMANO 7/9/18/21/27 speed
Fork	Aluminum alloy fork
Front light	Front light with USB charge port
Display	LCD3 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake or Hydraulic disc brake
Max speed	25-30km/h
1:1 PAS Range	40-60km
Carton Size	136*28*78cm
Weight	N.W:18kg,G.W:24kg

Folding E-BIKE



Model	G4
Motor	36V 250W/350W 48V 500W/750W Brushless rear motor
Battery	36V 10/13/14.4AH 48V 10/13/14AH Battery inside frame
Frame Size	17 Inch
Controller	36V/48V intelligent brushless
Tire	26*1.95/2.35 inch
Frame	Foldable, 6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Full Suspension
Front light	Front light with USB charge port
Display	LCD3 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake or Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-60km
Carton Size	149*26*76cm
Weight	N.W:24kg,G.W:28kg

Folding E-BIKE



Model	A1-7
Motor	36V 250W/350W rear hub brushless motor
Battery	36V 10AH/11.6AH/13.4AH Removable Lithium battery
Controller	36V intelligent brushless
Tire	20"*1.75/2.125 inch
Frame	Foldable, 6061 aluminum alloy
Gear	Single speed / SHIMANO 7 speed
Front light	Front light with USB charge port
Front fork	Carbon steel fork
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake
Max speed	25-30km/h
1:1 PAS Range	40-60km
Carton Size	89*41*70cm
Weight	N.W:20kg,G.W:23kg

Folding E-BIKE



Model	A1-R
Motor	36V 250W/350W 48V500W rear brushless motor
Battery	36V 10AH/13AH; 48V10AH/13AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*1.75/2.125 inch
Frame	Foldable, 6061 aluminum alloy
Front fork	Aluminum alloy suspension fork
Suspension	Full suspension
Gear	SHIMANO 7 gears
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 disc brake
Max speed	25-35km/h
1:1 PAS Range	40-60km
Carton Size	138*29*62cm
Weight	N.W:23kg,G.W:26kg

Folding E-BIKE



Model	A2
Motor	36V 250W/350W rear hub brushless motor
Battery	36V 10AH/11.6AH/13.4AH Removable Lithium battery
Controller	36V intelligent brushless
Tire	20*1.75/2.125 inch
Frame	Foldable, 6061 aluminum alloy
Gear	Single speed / SHIMANO 7 speed
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Front fork	Carbon steel fork
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake
Max speed	25-30km/h
1:1 PAS Range	40-60km
Carton Size	89*41*70cm
Weight	N.W:23kg,G.W:26kg

City E-BIKE



Model	A3AL24
Motor	36V 250W/350W rear brushless motor
Battery	36V 8AH Hidden Lithium battery
Controller	36V intelligent brushless
Tire	24*1.75 Inch
Frame	6061 aluminum alloy
Gear	Single Speed/ Shimano 7 speed
Fork	Carbon steel fork
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	V brake / 160 disc brake
Max speed	25-30km/h
1:1 PAS Range	40-60km
Carton Size	136*28*78cm
Weight	N.W:21kg,G.W:24kg

City E-BIKE



Model	A3AL24-R
Motor	36V 250W/350W rear brushless motor
Battery	36V 8AH/10AH Rear rack Lithium battery
Controller	36V intelligent brushless
Tire	24*1.75 Inch
Frame	6061 aluminum alloy
Gear	Single Speed / SHIMANO7 speed
Fork	Carbon steel fork
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	V brake / 160 disc brake
Max speed	25-30km/h
1:1 PAS Range	40-60km
Carton Size	136*28*78cm
Weight	N.W:22kg,G.W:26kg

City E-BIKE



Model	A3AL28
Motor	36V 250W/350W rear brushless motor
Battery	36V 8AH/10AH/13AH Hidden lithium battery
Controller	36V intelligent brushless
Tire	700*38C/40C
Frame	6061 aluminum alloy
Gear	Single speed / Shimano 7 speed
Fork	Carbon steel fork / Aluminum alloy fork
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 disc brake
Max speed	25-30km/h
1:1 PAS Range	40-60km
Carton Size	150*25*85cm
Weight	N.W:22kg,G.W:26kg

City E-BIKE



Model	A5AH24
Motor	36V 250W/350W 48V 500W rear hub brushless motor
Battery	36V 10AH/13AH 48V 10AH/13AH Hidden Lithium battery
Controller	36V/48V intelligent brushless
Tire	24"1.75/1.95 inch
Frame	6061 aluminum alloy
Front fork	Carbon steel fork
Gear	Single Speed / SHIMANO 7 speed
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	front V brake, rear expanding brake
Max speed	25-35km/h
1:1 PAS Range	40-60km
Carton Size	136*28*78cm
Weight	N.W:22kg,G.W:26kg

City E-BIKE



Model	S5
Motor	36V 250W/350W 48V 250W/350W/500W/750W Rear brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable lithium battery
Frame Size	18 inch
Controller	36V/48V Intelligent controller
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch
Frame	6061 Aluminum alloy
Gear	SHIMANO 7/8/9 speeds (ALTUS)
Fork	Aluminum alloy suspension fork
Display	LCD3/LCD8 Display with 6 speed level
Charging Hour	4-6H
Disc Brake	160/180 Mechanical disc brake or Hydraulic disc brake
1:1 PAS Range	About 40-100km
Rear Suspension	Spring or Air suspension device
Max Speed	25-40km/h
Carton Size	149*28*80cm
Weight	N.W:27kg,G.W:30kg

City E-BIKE



Model	A5AH26
Motor	36V 250W/350W 48V 500W/750W rear brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Frame Size	17/18 inch
Controller	36V/48V intelligent brushless
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch 700*38C/40C (28 inch)
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake or Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-100km
Carton Size	136*28*86cm
Weight	N.W:25kg,G.W:29kg

City E-BIKE



Model	A5-26
Motor	36V 250W/350W 48V 500W rear brushless motor
Battery	36V10/13AH 48V10AH/13AH Hidden Lithium battery
Controller	36V/48V intelligent brushless
Tire	26*1.95 inch
Frame	6061 aluminum alloy
Gear	Single Speed/ Shimano 7 speed
Fork	Carbon steel fork / Aluminum alloy fork
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 disc brake
Max speed	25-35km/h
1:1 PAS Range	40-60km
Carton Size	138*28*79cm
Weight	N.W:24kg,G.W:28kg

Mid Drive Motor E-BIKE



Model	S6MD
Motor	Mid drive motor Bafang M400/ M500/M600
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V10AH/13AH/14.4AH/16AH/17AH Removable lithium battery
Frame Size	18/19 inch
Controller	Bafang Intelligent controller
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch 29*2.1/2.35/2.6 inch
Frame	6061 Aluminum alloy
Gear	SHIMANO 7/8/9 speeds (ALTUS)
Fork	Aluminum alloy suspension fork
Display	Bafang LCD display
Charging Hour	4-6H
Disc Brake	160/180 Mechanical disc brake or Hydraulic disc brake
1:1 PAS Range	60-100km
Rear Suspension	Spring or Air suspension device
Max Speed	25-40km/h
Carton Size	149*28*80cm
Weight	N.W:25kg,G.W:29kg

Mid Drive Motor E-BIKE



Model	S5MD
Motor	Mid drive motor Bafang M400/ M500/M600
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V10AH/13AH/14.4AH/16AH/17AH Removable lithium battery
Frame Size	18 inch
Controller	Bafang Intelligent controller
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch 29*2.1/2.35/2.6 inch
Frame	6061 Aluminum alloy
Gear	SHIMANO 7/8/9 speeds (ALTUS)
Fork	Aluminum alloy suspension fork
Display	Bafang LCD display
Charging Hour	4-6H
Disc Brake	160/180 Mechanical disc brake or Hydraulic disc brake
1:1 PAS Range	60-100km
Rear Suspension	Spring or Air suspension device
Max Speed	25-40km/h
Carton Size	149*28*80cm
Weight	N.W:26kg,G.W:30kg

Mid Drive Motor E-BIKE



Model	A6AH26MD
Motor	36V250W/350W 48V500W/750W Bafang Mid-drive motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Frame Size	17/18/19 Inch
Controller	Bafang 36V intelligent brushless
Tire	26*1.95/2.35/2.6 inch 27.5*1.95/2.35/2.6 inch 29*2.1/2.35/2.6 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Suspension	Suspension front fork
Front light	Front light with USB charge port
Display	Bafang LCD display
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Crank	Bafang chainwheel and crank set
Disc brake	160 mechanical disc brake or Hydraulic disc brake
Max speed	25-30km/h
1:1 PAS Range	40-60km
Carton Size	136*28*78cm
Weight	N.W:24kg,G.W:28kg

Mid Drive Motor E-BIKE



Model	A6AH26MD-PRO
Motor	48V500W Bafang M600 Mid-drive motor (insert into the frame)
Battery	48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Frame Size	18 inch
Controller	Bafang 48V intelligent brushless
Tire	27.5*1.95/2.35 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Suspension	Suspension front fork
Front light	Front light with USB charge port
Display	Bafang LCD display
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Crank	Bafang chainwheel and crank set
Disc brake	160 mechanical disc brake/ Hydraulic disc brake
Max speed	35km/h
1:1 PAS Range	40-100km
Carton Size	136*28*78cm
Weight	N.W:24kg,G.W:28kg

Mid Drive Motor E-BIKE



Model	A5AH26MD
Motor	36V250W/350W 48V500W/750W Bafang Mid-drive motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Frame Size	18 Inch
Controller	Bafang 36V intelligent brushless
Tire	26*1.95/ 27.5*1.95 / 700*40C
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Suspension	Aluminum alloy Suspension front fork
Front light	Front light with USB charge port
Display	Bafang LCD display
Throttle	Thumb Throttle/Twist Throttle
Crank	Bafang chainwheel and crank set
Charging hour	4-6h
Disc brake	160 mechanical disc brake/ Hydraulic disc brake
Max speed	25-35km/h
1:1 PAS Range	40-100km
Carton Size	136*28*86cm
Weight	N.W:24kg,G.W:28kg

Mid Drive Motor E-BIKE



Model	A5AH26MD-PRO
Motor	36V 250W Bafang M200 Mid-drive motor
Battery	36V 10AH/13AH/16AH/18AH/20AH Removable Lithium battery
Frame Size	18 Inch
Controller	Bafang 36V intelligent brushless
Tire	26/27.5*1.95/2.35 / 700*40C
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Suspension	Aluminum alloy Suspension front fork
Front light	Front light with USB charge port
Display	Bafang LCD display
Throttle	Thumb Throttle/Twist Throttle
Crank	Bafang chainwheel and crank set
Charging hour	4-6h
Disc brake	160 mechanical disc brake/ Hydraulic disc brake
Max speed	25km/h
1:1 PAS Range	40-100km
Carton Size	146*28*87cm
Weight	N.W:27kg,G.W:31kg

Fat Tire E-BIKE



Model	C20 / C26
Motor	36V 250W/350W 48V 500W/750W/1000W rear hub motors
Battery	36V 10AH/13AH/14.4AH/16AH/20AH 48V 10AH/13AH/14.4AH/16AH/19AH/24AH 60V 24AH Removable lithium battery
Controller	intelligent controller 250W/350W/500W/750W/1000W
Tire	20*4.0 inch / 20*5.0 inch 26*4.0 inch
Frame	6061 aluminum alloy foldable
Gear	Shimano 7/8/9 speeds
Fork	Aluminum alloy suspension fork
1:1 PAS Range	60-100km
Display	LCD880/LCD3/LCD8 display with 6 speed level
Charging hour	4-8H
Disc brake	160/180 mechanical disc brake or Hydraulic disc brake
Max speed	25-45Km/h
Carton Size	133*31*82cm
Weight	N.W:31kg,G.W:36kg

Fat Tire E-BIKE



Model	A6AH20F
Motor	36V 250W/350W 48V 500W/750W rear brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-100km
Carton Size	131*31*61cm
Weight	N.W:27kg,G.W:32kg

Fat Tire E-BIKE



Model	A6AH20F
Motor	48V 1000W/ 60V1000W rear brushless motor
Battery	48V24AH/28.8AH 60V24AH Removable Lithium battery
Controller	48V/60V intelligent brushless
Tire	20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	5-7h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	45km/h
1:1 PAS Range	40-80km
Carton Size	138*33*78cm
Weight	N.W:31kg,G.W:36kg

Fat Tire E-BIKE



Model	A6AH20F-Dual Motor
Motor	48V500W+48V500W, 48V750W+48V750W, 60V750W+60V750W
Battery	48V 24AH/28.8AH 60V24AH Removable Lithium battery
Controller	48V/60V intelligent brushless
Tire	20*4.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Aluminum alloy Suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	180 mechanical disc brake / Hydraulic disc brake
Max speed	40-55km/h
1:1 PAS Range	40-80km
Carton Size	138*33*78cm
Weight	N.W:37kg,G.W:42kg

Fat Tire E-BIKE



Model	A6AH20FM
Motor	36V 250W/350W 48V 500W/750W rear brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Controller	36V/ 48V intelligent brushless
Tire&Rim	20*4.0 inch Aluminum alloy wheel
Frame	6061 aluminum alloy
Rim	Aluminum Alloy integrated wheel
Gear	SHIMANO 7/8/9/21/24/27 speed
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake/ Hydraulic disc brake
Max speed	25-35km/h
1:1 PAS Range	40-100km
Carton Size	131*31*61cm
Weight	N.W:27kg,G.W:32kg

Fat Tire E-BIKE



Model	A6AH26F
Motor	36V 250W/350W 48V 500W/750W rear brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	26*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake / Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-100km
Carton Size	150*38*80cm
Weight	N.W:37kg,G.W:42kg

Fat Tire E-BIKE



Model	A7AT26
Motor	48V 1000W/ 60V1000W rear brushless motor
Battery	48V 24/28.8AH 60V24AH Removable Lithium battery
Controller	48V/ 60V intelligent brushless
Tire	26*4.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Aluminum alloy Suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	5-7h
Disc brake	180 mechanical disc brake /Hydraulic disc brake
Max speed	40-45 km/h
1:1 PAS Range	40-80km
Carton Size	150*38*80cm
Weight	N.W:39kg,G.W:45kg

Fat Tire E-BIKE



Model	A7AT26-Dual Motor
Motor	48V500W+48V500W, 48V750W+48V750W, 60V750W+60V750W
Battery	48V 24/28.8AH 60V24AH Removable Lithium battery
Controller	48V/60V intelligent brushless
Tire	26*4.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Aluminum alloy Suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	5-7h
Disc brake	180 mechanical disc brake /Hydraulic disc brake
Max speed	40-55km/h
1:1 PAS Range	40-80km
Carton Size	150*38*80cm
Weight	N.W:41kg,G.W:46kg

Fat Tire E-BIKE



Model	A7AT26
Motor	60V 2000W rear hub motor
Battery	60V 24AH Removable Lithium battery
Controller	60V intelligent brushless
Tire	26*4.0 Inch / Motorcycle wheels
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Front fork	Air suspension front fork
Suspension	Aluminum alloy Suspension fork
Front light	Front light with USB charge port
Display	LCD3/ LCD8 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	5-7h
Disc brake	180 mechanical disc brake / Hydraulic disc brake
Max speed	55km/h
1:1 PAS Range	40-80km
Carton Size	150*38*80cm
Weight	N.W:41kg,G.W:46kg

Fat Tire E-BIKE



Model	A7AM20
Motor	36V 250W/350W 48V 500W/750W/1000W rear hub brushless motor
Battery	48V 10AH/13AH/14.4AH/16AH/19.2AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0 Inch
Frame	Foldable, 6061 aluminum alloy
Gear	SHIMANO 7 speed
Fork	Carbon steel / Alumium alloy suspension fork
Front light	Front light with USB charge port
Display	LCD880/ LCD3 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-80km
Carton Size	141*34*74cm
Weight	N.W:28kg,G.W:33kg

Fat Tire E-BIKE



Model	S731
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0 inch / 20*5.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Fork	Alumium alloy suspension fork
Front light	15W LED big front light
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-100km
Carton Size	133*32*87cm
Weight	N.W:34kg,G.W:39kg

Fat Tire E-BIKE



Model	S731M
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0 inch / 20*5.0 inch
Frame	6061 aluminum alloy
Rim	Aluminum alloy integrated wheel
Gear	SHIMANO 7/8/9 speed
Fork	Alumium alloy suspension fork
Front light	15W LED big front light
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-100km
Carton Size	133*32*87cm
Weight	N.W:35kg,G.W:40kg

Fat Tire E-BIKE



Model	S731-T
Motor	48V 500W/750W/1000W rear hub brushless motor
Battery	48V19.2AH/20AH/24AH Removable Lithium battery
Controller	48V intelligent brushless
Tire	20*4.0 inch / 20*5.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Fork	Alumium alloy suspension fork
Front light	15W LED big front light
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	35-40km/h
1:1 PAS Range	40-80km
Carton Size	133*32*87cm
Weight	N.W:34kg,G.W:39kg

Fat Tire E-BIKE



Model	S732
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10AH/11.6AH/13.4AH/15AH/16.7AH 48V 10AH/13AH/14.4AH/17AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0 inch/ 20*5.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Fork	Alumium alloy suspension fork
Front light	15W LED big front light
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-80km
Carton Size	133*32*87cm
Weight	N.W:34kg,G.W:39kg

Fat Tire E-BIKE



Model	S733
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10AH/11.6AH/13.4AH/15AH/16.7AH 48V 10AH/13AH/14.4AH/17AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0 inch /20*5.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Fork	Alumium alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-80km
Carton Size	133*32*87cm
Weight	N.W:34kg,G.W:39kg

Fat Tire E-BIKE



Model	S733
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10AH/11.6AH/13.4AH/15AH/16.7AH 48V 10AH/13AH/14.4AH/17AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0 inch /20*5.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Fork	Alumium alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-80km
Carton Size	133*32*87cm
Weight	N.W:34kg,G.W:39kg

Fat Tire E-BIKE



Model	A7AH20
Motor	36V 250W/350W 48V 500W/750W Brushless motor
Battery	36V 10/13/14.4AH 48V 10/13/14.4AH Removable Battery inside frame
Controller	36V/48V intelligent brushless
Tire	20*4.0 inch
Frame	Foldable, 6061 aluminum alloy
Gear	SHIMANO 7 speed
Front Fork	Aluminum alloy Suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-60km
Carton Size	149*32*76cm
Weight	N.W:31kg,G.W:36kg

Fat Tire E-BIKE



Model	G4F
Motor	36V 250W/350W 48V 500W/750W rear hub motor
Battery	36V 10/13/14.4AH 48V 10/13/14AH Removable Battery inside frame
Controller	36V/48V intelligent brushless
Tire	26*4.0 inch
Frame	Foldable, 6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Full suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-80km
Carton Size	162*37*78cm
Weight	N.W:34kg,G.W:39kg

Fat Tire E-BIKE



Model	A5AH26F
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	26*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Front fork	aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake /Hydraulic disc brake
Max speed	25-40km/h
1:1 PAS Range	40-100km
Carton Size	150*38*80cm
Weight	N.W:39kg,G.W:45kg

Electric Tricycle



Model	ET-20F
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Controller	36V48V intelligent brushless
Tire	20*4.0 inch / 20*5.0 inch
Frame	6061 aluminum alloy
Gear	Single speed / SHIMANO 7/21 speed
Fork	aluminum alloy Suspension front fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake/ Hydraulic disc brake
Max speed	25-32km/h
1:1 PAS Range	40-80km
Carton Size	149*87*72cm
Weight	N.W:53kg, G.W:58kg

Electric Tricycle



Model	ET-26F
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10AH/13AH/16AH/18AH/20AH 48V 10AH/13AH/14.4AH/16AH/17AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	26*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/21 speed
Fork	aluminum alloy Suspension front fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake/ Hydraulic disc brake
Max speed	25-32km/h
1:1 PAS Range	40-80km
Carton Size	154*88*88cm
Weight	N.W:60kg,G.W:57kg

E-Scooter



Model	A1-8
Motor	36V 250W/350W rear motor
Battery	36V 8AH/10AH Hidden Lithium battery
Controller	36V intelligent brushless
Tire	8 inch
Frame	6061 aluminum alloy
Gear	Single Speed
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle
Charging hour	4-6h
Disc brake	Mechanical disc brake
Max speed	25-30km/h
Range	40-60km
Carton Size	106*23*40cm
Weight	N.W:15kg,G.W:18kg

E-Scooter



Model	A1-8.5
Motor	36V 250W/300W rear motor
Battery	36V8AH/10AH hidden Lithium battery
Controller	36V intelligent brushless
Tire	8.5 inch
Frame	6061 aluminum alloy
Gear	Single Speed
Rim	Aluminum Alloy
Front light	Front light
Display	LCD display 6 speed level with Bluetooth function
Throttle	Twist Throttle
Charging hour	4-6h
Disc brake	mechanical disc brake
Max speed	25km/h
Range	40-60km
Carton Size	132*27*51cm
Weight	N.W:17kg,G.W:20kg

E-Scooter



Model	A1-10
Motor	36V 250W/350W 48V 500W rear motor
Battery	36V 8AH/10/13AH 48V 10/13/14.5AH Lithium battery
Controller	36V/48V intelligent brushless
Tire	10 inch
Frame	6061 aluminum alloy
Gear	Single Speed
Fork	suspension
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle
Charging hour	4-6h
Disc brake	mechanical disc brake
Max speed	25-35km/h
Range	40-60km
Carton Size	122*32*40cm
Weight	N.W:22kg,G.W:25kg

E-Scooter



Model	A1-10 Dual Motor
Motor	48V500W + 48V500W dual motor
Battery	48V 10AH/13/14.5AH Lithium battery
Controller	48V intelligent brushless
Tire	10*3.0 inch
Frame	6061 aluminum alloy
Gear	Single Speed
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle
Charging hour	4-6h
Disc brake	mechanical disc brake
Max speed	25-35km/h
Range	40-60km
Carton Size	123*32*49cm
Weight	N.W:27kg,G.W:30kg





Electric Bike Battery



Upgrade Options



Quick release cable



Rear flashing light



Fenders & Carrier



Delivery box & Rack



Color LCD8 Display



Adjustable Stem



Front Basket



KENDA Tire



Hydraulic Brake



Torque Sensor



珠海双业电子科技有限公司

ZHUHAI SHUANGYE ELECTRONIC TECHNOLOGY.,LTD.

地址：广东省珠海市金湾区三灶镇兴荣路1号利康宝工业园

Add: Xingrong Road,Sanzao Town,Jinwan District,Zhuhai City,
Guangdong Province,China.

Tel: +86-0756 7681208 +86-756 7681282 +86-13570696039

Http://www.zhsydz.com **E-mail:** sy@zhsydz.com